Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association

Volume 2
Issue 1 *Ohio Athletic Trainers' Association*
Supplementary Edition

Article 22

May 2016

Inter-Rater Agreement of the Visually Rated Single-Leg Squat Assessment

Christopher Ballance
The Ohio State University, ballance.4@osu.edu

Daniel Clifton
The Ohio State University, clifton.95@osu.edu

Eric Schussler
The Ohio State University, schussler.eric@gmail.com

Angie Beisner
The Ohio State University, beisner.2@osu.edu

Jimmy Onate
The Ohio State University, onate.2@osu.edu

Follow this and additional works at: <https://scholarworks.bgsu.edu/jsmahs>

Part of the [Preventive Medicine Commons](#), [Sports Medicine Commons](#), and the [Sports Sciences Commons](#)

[How does access to this work benefit you? Let us know!](#)

Recommended Citation

Ballance, Christopher; Clifton, Daniel; Schussler, Eric; Beisner, Angie; and Onate, Jimmy (2016) "Inter-Rater Agreement of the Visually Rated Single-Leg Squat Assessment," *Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association*: Vol. 2: Iss. 1, Article 22.
DOI: <https://doi.org/10.25035/jsmahs.02.01.22>
Available at: <https://scholarworks.bgsu.edu/jsmahs/vol2/iss1/22>

This Undergraduate Student Abstract is brought to you for free and open access by the Journals at ScholarWorks@BGSU. It has been accepted for inclusion in Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association by an authorized editor of ScholarWorks@BGSU.

Inter-Rater Agreement of the Visually Rated Single-Leg Squat Assessment

Christopher Ballance, Daniel Clifton, MS, AT, ATC, Eric Schussler, MPT, AT, ATC, Angie Beisner, MA, ATC, and Jimmy Onate, PhD., AT, ATC, FNATA

The Ohio State University, School of Health and Rehabilitation Sciences

Context: Within sports medicine, there is a need for inexpensive and reliable clinical screening tools that can be used to assess the risk of lower extremity musculoskeletal injury. The visually rated Single-Leg Squat (SLS) is a closed chain screening tool commonly used by clinicians to identify lower extremity pathomechanics. Although there has been research assessing the validity of the SLS assessment, little is known regarding its inter-rater agreement.

Objective: The purpose of this study was to assess the inter-rater agreement of the visually rated SLS.

Design and Participants: The Qualitative Scoring System (QSS), a nominal scale consisting of 10 criteria, was used to evaluate each SLS. Two certified Athletic Trainers served as raters. Each rater conducted training and a post-training test to ensure the assessment was learned in a standardized manner. Upon completion of the training, the raters were provided with left leg and right leg SLS video recordings of 30 collegiate male lacrosse players.

Main Outcome Measurement: A Kappa statistic

(k) was calculated to assess inter-rater agreement of each QSS criteria.

Results: There was, one almost perfect agreement, non-weight bearing foot contact ($k = 0.848$). There was, one moderate agreement, noticeable knee valgus ($k = 0.702$). There were, two weak agreements, arm movement ($k = 0.489$) and pelvic tilt/rotation ($k = 0.411$). There were, two minimal agreements, non-weight bearing thigh motion ($k = 0.384$) and significant knee valgus ($k = 0.286$). There were, three less than minimal agreements, trunk alignment ($k = 0.183$), loss of horizontal pelvic plane ($k = 0.163$), and weight bearing thigh adduction ($k = -0.021$). A Kappa statistic could not be calculated for stance leg wobble because rater two reported zero negative findings.

Conclusion: Results reveal the inter-rater agreement of the visually rated SLS is generally weak. Further research should be conducted to develop methods that improve reliability of the visually rated SLS assessment.

Key words: movement screening, assessment, and inter-rater agreement