

May 2017

## Determining the Effectiveness of Core Strengthening Exercise Therapies in Treating Nonspecific Low Back Pain: A Critically Appraised Topic


Amanda King

Bowling Green State University, amanda41king@yahoo.com

Andrea Cripps

Bowling Green State University, acripps@bgsu.edu

Follow this and additional works at: <http://scholarworks.bgsu.edu/jsmahs>

 Part of the [Biomechanics Commons](#), [Exercise Science Commons](#), [Motor Control Commons](#), [Other Kinesiology Commons](#), [Rehabilitation and Therapy Commons](#), [Sports Medicine Commons](#), and the [Sports Sciences Commons](#)

---

### Recommended Citation

King, Amanda and Cripps, Andrea (2017) "Determining the Effectiveness of Core Strengthening Exercise Therapies in Treating Nonspecific Low Back Pain: A Critically Appraised Topic," *Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association*: Vol. 3 : Iss. 1 , Article 10.

DOI: 10.25035/jsmahs.03.01.10

Available at: <http://scholarworks.bgsu.edu/jsmahs/vol3/iss1/10>

This Undergraduate Student Abstract is brought to you for free and open access by the Human Movement, Sport and Leisure Studies at ScholarWorks@BGSU. It has been accepted for inclusion in Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association by an authorized editor of ScholarWorks@BGSU.

## ***Determining the Effectiveness of Core Strengthening Exercise Therapies in Treating Nonspecific Low Back Pain: A Critically Appraised Topic***

Amanda King, Andrea E. Cripps, PhD, ATC

School of Human Movement, Sport, and Leisure Studies, Bowling Green State University

---

### ***CLINICAL SCENARIO***

Nonspecific low back pain is a condition which impacts athletes of all calibers and sports<sup>1</sup>. Clinicians have discussed that tight hamstrings and weak core muscles are a major cause of nonspecific low back pain<sup>1</sup>. The rehabilitation for increasing hamstring flexibility to reduce nonspecific low back pain is standardized and a myriad of programs exist in order to accomplish this, however the rehabilitation for strengthening the core muscles to reduce nonspecific low back pain is not as well established.<sup>1</sup>

### ***FOCUSED CLINICAL QUESTION***

Is there evidence to suggest which type of core strengthening rehabilitation would best reduce pain and increase function in high-level athletes?

### ***SUMMARY of Search, "Best Evidence" appraised and Key Findings:***

- A review of three randomized control trials<sup>2-4</sup> and one comparative study,<sup>5</sup> was performed in order to create a summary of current and prevalent evidence to determine which type of core strengthening would best reduce pain and increase function among high-level athletes with nonspecific low back pain.
- This review of the literature resulted in a wide variety of exercise programs that were found to be effective in treating nonspecific low back pain.

- The exercises found to be the most effective in treating nonspecific low back pain include motor control exercises, graded activities, sling exercises, segmental stabilization, and spinal manipulative therapy.

One of the studies found that motor control exercises targeting the strengthening of the Transverse Abdominis and Lumbar Multifidus and spinal manipulative therapy over an eight-week period produced a greater reduction in pain, and an increase in overall function.<sup>3</sup> The other two studies found that no significant differences in pain reduction or increased function resulted from implementing a specific exercise program over another, but rather individual factors that each athlete possess should be the determining factor when deciding which exercise program to implement.<sup>2, 4</sup>

One comparative (cohort) study found that segmental stabilization exercises that focus on targeting the strengthening of the Transverse Abdominis and Lumbar Multifidus produce a greater reduction in pain and increase in function.<sup>5</sup>

### ***CLINICAL BOTTOM LINE***

To best reduce pain and increase overall function caused by nonspecific low back pain, a combination of motor control exercises, graded activities, sling exercises, segmental stabilization, and spinal manipulative therapy should be utilized.<sup>2-5</sup>

King, Cripps. Effectiveness of Core Strength Training Nonspecific Low Back Pain  
JSMaHS. 2017;3(1). UG Abstract.

### **STRENGTH OF RECOMMENDATION**

There is moderate evidence, level 2b and higher, suggesting that an exercise program should be created that is tailored to the individual athlete's flaws.<sup>4</sup>

### **REFERENCES**

1. Barr KP, Griggs M. Lumbar stabilization: a review of core concepts and current literature, part 2. *American Journal of Physical Medicine and Rehabilitation*. 2007;86(1), 72-80.
2. Unsgaard-Tondel M, Fladmark AM, Salvesen O, Vasseljen O. Motor control exercise, sling exercises, and general exercises for patients with chronic low back pain: A randomized controlled trial with 1-year follow-up. *Journal of Physical Therapy*. 2010;90(10), 1426-1440.
3. Ferreira ML, Ferreira PH, Latimer J, Herbert RD, Hodges PW, Jennings MD, Maher CG, Refshauge KM. Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: A randomized trial. *International Association for the Study of Pain*. 2007; 31-37.
4. Macedo LG, Latimer J, Maher CG, Hodges PW, McAuley JH, Nicholas MK, Tonkin L, Stanton CJ, Stanton TR, Stafford R. Effect of motor control exercises versus graded activity in patients with chronic nonspecific low pain: A randomized controlled trial. *Journal of Physical Therapy*. 2010;92(3), 363-377.
5. Franca FR, Burke TN, Hanada ES, Marques AP. Segmental stabilization and muscular strengthening in chronic low back pain – a comparative study. *Journal of Clinical Science*. 2010;65(10), 1013-1017.

**KEY WORDS:** *low back, pain, motor control, stabilization, manipulative therapy*