

Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association

Volume 4
Issue 1 *OATA Supplemental Issue*

Article 3

May 2018

Changes in Athletic Identity in High School Athletes Before and After Injury

Tara Handley

Laura L. Harris

Janet Simon

Follow this and additional works at: <https://scholarworks.bgsu.edu/jsmahs>



Part of the [Biomechanics Commons](#), [Exercise Science Commons](#), [Motor Control Commons](#), [Other Kinesiology Commons](#), [Rehabilitation and Therapy Commons](#), [Sports Medicine Commons](#), and the [Sports Sciences Commons](#)

[How does access to this work benefit you? Let us know!](#)

Recommended Citation

Handley, Tara; Harris, Laura L.; and Simon, Janet (2018) "Changes in Athletic Identity in High School Athletes Before and After Injury," *Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association*: Vol. 4: Iss. 1, Article 3.

DOI: <https://doi.org/10.25035/jsmahs.04.01.03>

Available at: <https://scholarworks.bgsu.edu/jsmahs/vol4/iss1/3>

This Professional/Faculty Abstract is brought to you for free and open access by the Journals at ScholarWorks@BGSU. It has been accepted for inclusion in *Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association* by an authorized editor of ScholarWorks@BGSU.

Changes in Athletic Identity in High School Athletes Before and After Injury

Tara Handley AT; Laura L. Harris PhD, AT; Janet Simon PhD, AT

Department of Athletic Training, Ohio University

OBJECTIVE

The primary objectives of this research include; (1) establishing reliability of the Athletic Identity Measurement Scale (AIMS) in an adolescent population, (2) to describe athletic identity in a sample of healthy high school athletes, and (3) to determine the impact on athletic identity following injury.

DESIGN and SETTING

A prospective cohort study was used to explore athletic identity at two public high schools located in rural, Southeast Ohio.

PARTICIPANTS

Healthy male and female high school athletes between the ages of 14-19 who were members of a school-sponsored sports team during the Spring 2017 sport season (n=22; 11 males, 11 females) and the Fall 2017 and Winter 2017-2018 sports seasons (n=18; 17 males, 1 female) completed a baseline AIMS. Injured participants who were removed from sport for at least 72 hours completed a second AIMS.

INTERVENTION

The AIMS was administered (1) prior to the respective sport season (n=40) and (2) within 72 hours of injury (n=2).

MAIN OUTCOME MEASURE

All participants completed the AIMS prior to the start of their respective sports seasons in order to establish reliability in adolescents. Cronbach's α was used to determine the internal consistency of the AIMS. Using t-tests and an ANOVA ($p < 0.05$), AIMS scores were examined by sex, academic rank, sport

participation, post-high school sport aspirations, and injury status. Injured participants who were removed from sport for at least 72 hours completed a second AIMS within 72 hours of injury to examine changes in AIMS scores following injury.

RESULTS

Reliability of the AIMS was established through measures of internal consistency (Cronbach's $\alpha = 0.89$). Individual item analysis indicated that the internal consistency would not be improved by deleting any one of the ten items on the AIMS (Cronbach's α range = 0.72-0.75). Differences between sex ($p = 0.09$), academic rank ($p = 0.51$), and sport participation ($p = 0.82$) failed to produce statistically different AIMS scores. Those participants who expressed a desire to participate in sports after high school reported a statistically significantly higher AIMS score compared to those without sport aspirations after high school ($t = 2.90$; $p = 0.01$). Considering that only 2 of 40 participants met the criteria established for a post-test AIMS, statistical analysis was not possible. Within subject analysis indicated that AIMS scores were not influenced by injury in the two injured participants.

CONCLUSION

Previous studies have reported internal consistency for the AIMS (Cronbach's α range = 0.81-0.93) when used in an adult population.¹⁻² Descriptive statistics for each of the independent variables (sex, academic rank, sport participation, and post-high school sport aspirations) produced similar results to

previous studies.³⁻⁵ In this study, the Cronbach's α of 0.89 and the similar results described by the independent variables suggests the AIMS is a reliable instrument to use within an adolescent population. Generalizing this study's results indicating that injury does not impact AIMS scores should be taken with caution given the low number of injured participants (n=2).

REFERENCES

1. Brewer BB, Cornelius AE. Norms and factorial invariance of the Athletic Identity Measurement Scale. *The Academic Athletic Journal*. 2001;103-113.
2. Whipple KR. Athletic identity, identity foreclosure, and career maturity: An investigation of intercollegiate athletes. 2009.
3. Wiechman SA, Williams J. Relation of athletic identity to injury and mood disturbance. *J Sport Behav*. 1997;20(2):199.
4. Lamont-Mills A, Christensen SA. Athletic identity and its relationship to sport participation levels. *J Sci Med Sport*. 2006;9(6):472-478. doi:10.1016/j.jsams.2006.04.004.
5. Houle JL, Brewer BW, Kluck AS. Developmental trends in athletic identity: A two-part retrospective study. *J Sport Behav*. 2010;33(2):146.

KEY WORDS: *athletic injury, adolescent athletes, Athletic Identity Measurement Scale*