Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association

Volume 4
Issue 1 *OATA Supplemental Issue*

Article 23

May 2018

Scapular Fracture in a Collegiate Football Player: A Case Study

Taylor Lipinsky

Aaron Himmler

Follow this and additional works at: <https://scholarworks.bgsu.edu/jsmahs>

Part of the [Biomechanics Commons](#), [Exercise Science Commons](#), [Motor Control Commons](#), [Other Kinesiology Commons](#), [Rehabilitation and Therapy Commons](#), [Sports Medicine Commons](#), and the [Sports Sciences Commons](#)

[How does access to this work benefit you? Let us know!](#)

Recommended Citation

Lipinsky, Taylor and Himmler, Aaron (2018) "Scapular Fracture in a Collegiate Football Player: A Case Study," *Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association*: Vol. 4: Iss. 1, Article 23.

DOI: <https://doi.org/10.25035/jsmahs.04.01.23>

Available at: <https://scholarworks.bgsu.edu/jsmahs/vol4/iss1/23>

This Undergraduate Student Abstract is brought to you for free and open access by the Journals at ScholarWorks@BGSU. It has been accepted for inclusion in Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association by an authorized editor of ScholarWorks@BGSU.

Scapular Fracture in a Collegiate Football Player: A Case Report

Taylor Lipinsky; Aaron Himmler MS, AT
Department of Sports Medicine, University of Cincinnati

OBJECTIVE

To present a case of nonsurgical treatment and rehabilitation of a scapular fracture in a National Collegiate Athletic Association Division I football athlete.

BACKGROUND

While running the football in a game, the athlete was being tackled by a defensive player and then hit on both sides by two other defensive players. On-the-field evaluation was not performed, with a sideline evaluation revealing significant shoulder weakness. Post-injury imaging reported a scapular fracture.

DIFFERENTIAL DIAGNOSIS

scapular fracture, posterior labral tear of the shoulder.

TREATMENT

The sports medicine team discussed surgical and nonsurgical options. A nonsurgical approach was used with immobilization and rehabilitation.

UNIQUENESS

Scapular fractures account for a less than 1% of all fractures and rarely occur in athletic events.^{1,2} Scapular fractures often occur in high trauma, blunt force injuries such as motor vehicle accidents or falling from significant heights.¹⁻⁵

CONCLUSIONS

Proper non-surgical treatment of nondisplaced scapular fractures can result in good outcomes with no functional limitations. Athletes are able to return to play without compromising their health, safety, or performance.

REFERENCES

1. Wu F, Rajpura A, Shahid M, Sandher D. An Unrecognised Case of a Scapula Fracture Sustained through an Unusual Indirect Mechanism. Case Reports In Orthopedics [serial online]. January 2013;;1-2. Available from: Academic Search Complete, Ipswich, MA. Accessed April 3, 2018.
2. Schofer M, Sehrt A, Timmesfeld N, Störmer S, Kortmann H. Fractures of the scapula: long-term results after conservative treatment. Archives Of Orthopaedic & Trauma Surgery [serial online]. November 2009;129(11):1511-1519. Available from: Academic Search Complete, Ipswich, MA. Accessed March 7, 2018.
3. M. Scavenius and C. Sloth, "Fractures of the scapula,"Acta Orthopaedica Belgica, vol.62,no.3,pp.129-132,1996
4. Kingsbury-Smith R. Scapula fractures: A review. Trauma [serial online]. January 2008;10(1):25-33. Available from: Academic Search Complete, Ipswich, MA. Accessed March 7, 2018.
5. Bartoníček J, Cronier P. History of the treatment of scapula fractures. Archives Of Orthopaedic & Trauma Surgery [serial online]. January 2010;130(1):83-92. Available from: Academic Search Complete, Ipswich, MA. Accessed March 9, 2018.

KEY WORDS: *conservative treatment, upper extremity injuries, scapular fracture*