

# Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association

---

Volume 6  
Issue 1 *OATA 2020 Supplemental Issue*

Article 4

---

May 2020

## Clay Shoveler's Fracture in High School Pole Vaulter

Kelsey Everhart  
*Cleveland Clinic*, everhak@ccf.org

Follow this and additional works at: <https://scholarworks.bgsu.edu/jsmahs>



Part of the [Biomechanics Commons](#), [Exercise Science Commons](#), [Motor Control Commons](#), [Other Kinesiology Commons](#), [Rehabilitation and Therapy Commons](#), [Sports Medicine Commons](#), and the [Sports Sciences Commons](#)

---

### Recommended Citation

Everhart, Kelsey (2020) "Clay Shoveler's Fracture in High School Pole Vaulter," *Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association*: Vol. 6 : Iss. 1 , Article 4.

DOI: <https://doi.org/10.25035/jsmahs.06.01.04>

Available at: <https://scholarworks.bgsu.edu/jsmahs/vol6/iss1/4>

This Professional/Faculty Abstract is brought to you for free and open access by the Journals at ScholarWorks@BGSU. It has been accepted for inclusion in *Journal of Sports Medicine and Allied Health Sciences: Official Journal of the Ohio Athletic Trainers Association* by an authorized editor of ScholarWorks@BGSU.

## Clay Shoveler's Fracture in a High School Pole Vaulter

Kelsey Everhart, MS, ATC  
Cleveland Clinic

---

### **OBJECTIVE**

To recognize the typical signs and symptoms of a Clay Shoveler's fracture as it can be frequently overlooked due to its rareness.

### **MEDICAL HISTORY**

16 year old male pole vaulter presented to the athletic training room initially on 01/31/19 with right sided neck pain/upper back pain. Patient states that injury occurred while he was participating in off-season weight lifting with his team and max deadlifted 275 pounds. He also admits that he had "poor form" during this particular lift and immediately felt sharp pain and a "pop" in the mid-aspect of his upper back/neck region. After initial onset, pain then became more "achy" and "sore" in nature. Pain was rated 5/10 in severity at time of injury and 3/10 during clinical evaluation. No obvious deformity, ecchymosis, or swelling present. Mildly tender to palpation over lower cervical spine, upper thoracic spine, and muscle belly of trapezius. Full cervical and shoulder ROM bilaterally. Negative Lift-Off Test. Negative Spurling's Test. No neurovascular issues. Patient was eventually referred to Team Physician, Dr. Paul Saluan on 02/13/19 for further evaluation and imaging. Imaging revealed a displaced C7 spinous process avulsion fracture ("Clay Shoveler's fracture).

### **DIFFERENTIAL DIAGNOSIS**

Trapezius Strain, Cervical Spine Osteoarthritis

### **RELATED LITERATURE**

- Herrick, RT. Clay shoveler's fracture in power-lifting: a case report. *Am J Sports Med.* 1981;9(1):29-30.
- Kang DH, Lee SH. Multiple spinous process fractures of the thoracic vertebrae (clay-shoveler's fracture) in a beginner golfer: a case report. *Spine (Phila Pa 1976).* 2009;34(15):534-537.

- Lin JT, Lee JL, Lee ST. Evolution of occult cervical spine fractures on radiographs and CT. *Emerg Radiol.* 2003;10(3):128-134.
- Olivier EC, Muller E, Janse van Rensburg DC. Clay-shoveler fracture in a paddler: a case report. *Clin J Sport Med.* 2016;26(3):69-70.
- Posthuma de Boer J, van Wulfften Palthe AF, Standhouder A, Bloemers FW. The clay shoveler's fracture: a case report and review of the literature. *J Emerg Med.* 2016;51(3):292-297.
- Upadhyaya GK, Shukla A, Jain VK, Sinha S, Arya RK, Naik AK. Contiguous multiple cervicothoracic spinous process fractures in an adult: a case report. *J Clin Orthop Trauma.* 2016;7(1):45-49.
- Yamaguchi KT Jr, Myung KS, Alonso MA, Skaggs DL. Clay-shoveler's fracture equivalent in children. *Spine (Phila Pa 1976).* 2012;37(26):1672-1675.

### **TREATMENT**

Initial treatment regimen consisted of ice and rest; follow up examination scheduled for 03/20/19 with repeat xrays. Follow up radiographs showed interval healing and patient was cleared to progress back into running but was not cleared to progress back into pole vaulting or weight lifting at that time.

### **EXPECTED/UNIQUENESS**

This case was unique in that the athlete sustained a fracture that is rarely reported in athletes. Although the Clay Shoveler's fracture does not occur frequently in athletes, it is well documented as being an occupational or laborer injury. It is also now commonly seen in traumatic falls and motor vehicle accidents.

### **CONCLUSION**

After 10 weeks of healing, patient was cleared to fully return to pole-vaulting with no

restrictions on 04/15/19. Patient was able to successfully compete for the remaining part of his junior year track and field season with no issues.

***KEY WORDS:*** *Clay Shoveler, Fracture, Cervical, Stable, Spinous Process, Avulsion*